

THE VILLAGE NEWS

www.elkmound.org

Inside this Issue:

President's Corner Clean Sweep Event Flames & Fenders Event Building Permits Voter Registration	1
Board Minutes 4/15/2024: <ul style="list-style-type: none"> Minutes/Checks/Permits Reports by Officials Fire Board Representative Report Solid Waste & Recycling Representative Report Community Center / Library Report Park Policy Updates Cell Tower Site Review Shop Local Comprehensive Plan Park Fund Review Legal Expenses Welcome to Elk Mound Signs Emergency Operations Plan Change Meeting Date Purchase of Radio Outdoor Consumption Permit Board of Review 	2-4
Park Rental Board Meetings	5
Warning Siren Warning Siren Dates Noxious Weed Destruction	6
Consumer Confidence Report	7-13
Calendar of Events	6

CLEAN SWEEP EVENT

TUESDAY, JUNE 4, 2024

2PM TO 6PM

831 E. RAILROAD AVE, COLFAX, WI

Call 715-962-3311 or Email:
clerktreasurer@villageofcolfaxwi.org for
more information.

Save the Dates

**National Night Out is scheduled for
Tuesday, August 6th at the Village Park.
Event details will be in the July
newsletter.**

**Elk Mound Area Firefighters are
planning a "Flames & Fenders"
fundraiser to be held at the Village Park
on Saturday, August 17th.**

**Please plan to join us for fellowship and
support our awesome local team. Food
and beverages will be available and
classic cars on display!**



PRESIDENT'S CORNER

By Terry Stamm

Board meetings are once per month on the 3rd Monday of each month. Next Village Board Meeting is scheduled for Monday, June 17th at 6:00 p.m. If you have a specific item to bring to the Board please sign up under citizen's forum.

Junk and nuisance vehicles have been an issue lately here in the Village. Please be sure vehicles on your property are operational and properly registered.

Remember to maintain your lawn grass height under 8" during these summer months and eliminate any noxious weeds .

Take advantage of the upcoming clean sweep event on June 4th to clear out your old or unused chemicals, oil & lead based paints, aerosol cans, and pesticides.

Building Permits

If you are planning a building project this summer, please contact the Village Hall—or to view a full listing of items requiring a permit see our website www.elkmound.org code of ordinances 15-1-2.

Register to Vote!

Next election is Tuesday, August 13, 2024. Save time at the polls by registering to vote in advance of election day. Check your voter registration status here: [Voter Registration \(wi.gov\)](http://Voter Registration (wi.gov)). You can also sign up to receive an absentee ballot by mail: [Vote Absentee By Mail \(wi.gov\)](http://Vote Absentee By Mail (wi.gov)).



BOARD MINUTES APRIL 15, 2024

The April 15, 2024 meeting of the Board of Trustees for the Village of Elk Mound was called to order by Village President Terry Stamm at 6:00 p.m. in the Municipal Building.

Karin Wolf, Clerk-Treasurer, verified that proper notice of the meeting had been posted. Roll call showed Cynthia Abraham, Bob Bachman, Tim Benjamin, Pat Hahn, Joyce Price, and Terry Stamm present. Pat Lien was absent.

APPROVAL OF MINUTES

Abraham/Benjamin moved and seconded a motion to approve the Village Board minutes of March 18, 2024. Motion carried.

CITIZEN’S FORUM – (PUBLIC INPUT)

There was no one registered for Citizens Forum.

PUBLIC APPEARANCE

There was no public appearance.

APPROVAL OF GENERAL FUND AND WATER/SEWER UTILITY VOUCHERS

Benjamin/Hahn moved and seconded a motion to approve the combined checks 32778 - 32823 and direct deposits V3674 - V3694 for a total of \$75,785.96. Motion carried.

APPROVAL OF TID VOUCHERS

There were no TID vouchers.

PERMITS – BUILDING; WATER/SEWER APPLICATIONS FOR SERVICE/TAP PERMITS

A permit was issued to Larry Nelson, 224 Mound Park Drive, to reroof his residence and garage.

Water/Sewer Report

The Water/Sewer Report was presented by Mark Levra, Director of Public Works. The report is on file in the Director of Public Works office.

Director of Public Works Report

The Director of Public Works Report was presented by Mark Levra, Director of Public Works. The report is on file in the Director of Public Works office.

Police Chief Report

The Police Chief Report was presented by Police Chief Chad Weinberger. The report is on file in the Village Clerk-Treasurer’s office.

Standing Committee Reports:

Public Works & Streets

Bob Bachman reported that the Public Works & Streets Committee did not meet.

Public Safety

Tim Benjamin reported that the Public Safety Committee did not meet.

Property & Finance

Cynthia Abraham reported that the Property & Finance Committee did not meet.

Employee Relations

Pat Hahn reported that the Employee Relations Committee did not meet.

Plan Commission

Terry Stamm reported that the Plan Commission did not meet.

Report from Fire Board Representative

There were four calls for service this month.

Larry Zais has agreed to assume the Fire Inspector position on a long-term basis. The Fire Board is still working with Chief Fuester on an ordinance for billing for fires.

(Continued on Page 3)

BOARD MINUTES APRIL 15, 2024 CONTINUED

The Department is working on estimates for the furnace replacement. It is also working on repairs to Engine 5 to include scene operational lights and intake valves. The service doors on the Fire Department building may need to be replaced because of rust damage.

Chief Fuester intends on writing a grant application for Class A foam, chaps, and fire danger signs and banners.

Report from Elk Mound/Colfax Solid Waste & Recycling

The unit is asking residents who want to dispose of Bic lighters and similar devices to give them to the attendants for proper disposal.

Residents who have clean plastic bags (for example from Festival Foods, etc) are asked to give them to the attendants for proper recycling.

The unit has scheduled its semi-annual meeting of the nine municipalities who make up the Colfax Responsible Unit for April 23, 2024 at 7:00 p.m. at the Colfax Fire Department building.

Colfax Rescue Squad Monthly Report

The Colfax Rescue Squad Monthly Report from March was reviewed. This is available in the Village Clerk-Treasurer's Office.

Community Center/Library Report

The committee voted to investigate designating the Community Center/Library building as an alternate polling location.

The committee discussed recognition of 150 years of library service in Dunn County, including 10 years in Elk Mound. During the week of April 8, National Library Week, there were cookies, bookmarks and stickers available during regular library hours.

Terry Stamm reported that he will be purchasing acrylic sign holders in various sizes to hold historical pictures in the case at the library.

Communications & Miscellaneous Business as Permitted by Law

Director of Public Works Mark Levra reported that he and Clerk/Treasurer Karin Wolf will work on the park policy update this summer. He also reported that the Public Works Department, Clerk/Treasurer Wolf, and President Terry Stamm met with the site crew at the new cell phone tower site at the Village Park for a walk-through. The old shed at the Village Park is becoming structurally deficient and will need to be replaced soon.

Police Chief Chad Weinberger reported that he is looking into additional grant opportunities.

Trustee Cynthia Abraham encouraged everyone to eat and shop locally to support our businesses in the village. She also reported that her son is part of a group that is hoping to create a RC car track at the Village Park. He will attend a meeting later to discuss with the Board.

Trustee Pat Hahn mentioned that the Village's most recent comprehensive plan had outlined several possible uses for the Village's park funds. This topic will be included on the May meeting agenda.

Trustee Tim Benjamin mentioned that the Village needs to continue to be cognizant of legal expenses as that line item is already significantly over budget for 2024.

(Continued on Page 4)

As you are planning spring yard clean-up, please take a moment to review Village Ordinance Sec. 10-5-8: Inoperable Vehicles, Junk and Appliances on Private Property. The purpose and intent of this section is to eliminate the inappropriate and unnecessary keeping and storage of inoperable motor vehicles, motor vehicle accessories, junk and appliances on private property.

Link to: [Title 10 Chapter 5](#)

BOARD MINUTES APRIL 15, 2024 CONTINUED

Village President Terry Stamm reported that the “Welcome to Elk Mound” signs donated by the Elk Mound Lions Club are installed at the north and south entrances to the Village. Landscaping will also be done beneath the sign.

Unfinished Business:

Discussion/Action Review of the Village of Elk Mound Emergency Operations Plan

Benjamin/Abraham moved and seconded a motion to approve the proposed changes to the Village of Elk Mound Emergency Operations Plan as presented. Motion carried.

New Business:

Discussion/Action Change May 20, 2024 Meeting Date

Bachman/Benjamin moved and seconded a motion to approve changing the May meeting date to Tuesday, May 21, 2024 at 6:00 p.m. Motion carried.

Discussion/Action Purchase of one (1) EF Johnson Viking P25 VP8000 radio for the Elk Mound Police Department, from FY2024 Budget line item New Equipment 100-00-52100-009-000 with a total not to exceed \$4,500 before shipping

Benjamin/Price moved and seconded a motion to approve the purchase of one (1) EF Johnson Viking P25 VP8000 radio for the Elk Mound Police Department, from FY2024 Budget line item New Equipment 100-00-52100-009-000 with a total not to exceed \$4,500 before shipping, from Nielson Communications, Inc. Motion carried.

Discussion/Action Outdoor Consumption Permit/Event Application by the Elk Mound Fire District

Abraham/Benjamin moved and seconded a motion to approve the Outdoor Consumption Permit/Event Application by the Elk Mound Fire District. Motion carried.

Discussion/Action Board Member to Serve on the Board of Review

Bachman/Benjamin moved and seconded a motion to appoint Pat Hahn as the Board Member to serve on the Board of Review. Motion carried.

Adjourn

Hahn/Benjamin moved and seconded a motion to adjourn the meeting at 7:02 p.m. Motion carried.

Karin Wolf

Village of Elk Mound Clerk-Treasurer

ORDINANCE REMINDER 10-5-8

Inoperable Vehicles, Junk & Appliances on Private Property

- (a) Purpose and Intent. The purpose and intent of this Section is to eliminate the inappropriate and unnecessary keeping and storage of inoperable motor vehicles, motor vehicle accessories, junk and appliances on private property. The Village Board finds that such keeping and storage is unsightly, unhealthy and unsafe, and contrary to the health, safety and welfare of the residents of the Village of Elk Mound.
- (a) Storage of Automobiles, Appliances and Other Debris Restricted. (1)(a) No inoperable motor vehicles, motor vehicle accessories, appliances solid waste or unsightly junk [including but not limited to, truck bodies, truck tractors, trailers, farm or construction machinery or implements, appliances, household furnishings, tires, lumber, brick/blocks, vehicle parts, motor vehicle accessories, recreational vehicles (boats, trailers, campers, snowmobiles, all-terrain vehicles, utility terrain vehicles, etc.), improperly stored refuse and recyclables, scrap metal, refuse, debris, abandoned mobile home or trailer, appliances, improperly stored personal property, unsightly debris, or construction waste or debris shall be allowed by a property owner or tenant to be stored unenclosed outside of a building or within public view within the Village of Elk Mound for a period exceeding fourteen (14) days, or outside an industrial or commercial property for more than fourteen (14) days, unless it is in connection with an authorized agricultural, commercial or industrial enterprise located on a property properly zoned and maintained in such a manner as to not constitute a public nuisance, and which is fully in compliance with this Section and all other applicable Village of Elk Mound ordinances.

VILLAGE PARK RENTAL INFORMATION

The park located at S405 Holly Avenue (Highway H) offers men's and women's restroom facilities, a lighted pavilion with 15 picnic tables, soccer fields, a 9-hole disc golf course, volleyball nets, horse-shoe pits, a basketball court and playground equipment. The park pavilion is a perfect place for food preparation; offering kitchen utilities including stove, refrigerators and chest coolers, 4 grills and a large serving counter.

Check pavilion availability at www.elkmound.org and click on calendar. Booked dates will show up with Pavilion Reserved.

The Village park is available for rent for \$100.00 per day for Elk Mound Village Residents, and \$150.00 per day for Non-Residents. These fees go toward the cost of continuous park maintenance, along with cleanup and garbage removal for your specific event. Any proceeds from park rentals will go toward park improvements.

Keep in mind there may be other activity on the ball fields as they are rented separately. We have very active baseball & softball youth groups in the area.

The baseball and softball schedules are also available on our website: www.elkmound.org. Click on calendar to see various events. If the pavilion is already reserved it will be noted on the calendar.

Park pavilion and ball field reservations can be made by contacting the clerk's office at 715-879-5011.

Streetlight Outage

If you notice a street light that is not functioning properly, you can report it through the Xcel Energy website:

https://www.xcelenergy.com/outages_and_emergencies/report_outage or you can call the Public Works Department at 715-556-4566 with the following information:

1. Location of Street Light (Nearest Address)
2. Nearest Cross Street
3. Issue (Blinking Light, Light Not Operating, etc.)

BOARD MEETINGS

Next Board Meeting is Monday, June 17th. Board Meetings are typically held the third Monday of each month at 6:00 p.m. Meetings are open to the public in person, via Zoom or phone call. Instructions on how to access the meeting by phone are listed below.

The Zoom meeting IDs are 889 679 0258,
Password 619735

For current agendas see the posting locations: Elk Mound Village Hall, Post Office, Independence State Bank, as well as on the website: www.elkmound.org, click on government, then board/committee agendas. Village Residents are encouraged to participate under citizen's forum, if you have a topic for discussion please email to karin@elkmound.org.

Donations for Friends of the Menomonie Public Library Book Sale

Please Read

- Gently used adult and children's fiction, including best sellers
- CDs, DVDs and Audio Books in playable condition
- Non-fiction books (self-help, travel, crafts, cookbooks, gardening, hobbies, business, health)

Please: Musty, dusty, moldy or torn books are not acceptable and may harm volunteers and staff who must handle them, and can infect the library's collection.

We are not interested in magazines, encyclopedias, condensed books, books from rummage sales or other book sales.

WARNING SIREN

When severe weather occurs, you will hear a steady tone for three minutes. Upon early warning, volunteers will attempt to set the Warning Siren to a STEADY TONE. This warning is to inform you to seek information from TV, broadcast radio, or “NOAA Weather Alert” radio. For residents that do not have adequate shelter, the Lutheran Church, 207 University Street, has offered the use of the church basement. Every effort will be made to get the rear (south) doors opened on alarm. **YOU SHOULD MAKE ALTERNATE PLANS IN THE EVENT THE CHURCH IS NOT OPEN!!**

Having a plan in place will minimize confusion when time is of the essence. Preplanning to bring flashlights, possibly a blanket, as well as making other arrangements for pets will make for quick access to shelter. (Please do not bring pets to the Church).

This plan will be in effect immediately and until further notice.

“NOAA Weather Alert” radios are available for purchase at local electronics or major department stores. These units can be used in addition to the local warning siren for early severe storm alerts.

According to Dunn County Emergency Management, the siren is intended to alert people outdoors that severe weather conditions are nearby. The sounding of these sirens is your cue to access local detailed weather information from radio or television and discover if there is an need to take further action. More information can be found on their site: www.dunn.wi.co.us, click on Departments, Emergency Management & Outdoor Warning Sirens.

Dunn County Communications Center is responsible for testing the emergency siren system April through October. Village of Elk Mound tests November through March. The Emergency Warning Siren is tested the first Monday of each month at 10:00 am and monitored by the Village of Elk Mound. Standard emergency warning siren electro-mechanical tones are as follows:

- ALERT— Steady Tone, 3 minutes
- ATTACK—Wailing Tone, 6 sec. Hi/6 sec. Low, 3 min
- FIRE— Wailing Tone, 16 sec. Hi/8 Sec. Low, 4 Cycles
- GROWL- Short Burst, 2 Sec. Used for testing of siren only.

NOXIOUS WEED DESTRUCTION

Every person within the Village limits shall destroy all noxious weeds as defined by Wisconsin Statute 66.0407 on all lands which they shall own, occupy, or control. If the noxious weeds are not removed, each day of non-compliance will be considered a separate offense and be subject to the current fines and penalties in force at the time of non-compliance.

Village of Elk Mound
Karin Wolf, Clerk/Treasurer

Ordinance Reminder: Lawns, Grasses & Noxious Weeds (Section 8-1-6)

Lawns shall be maintained to a height not to exceed eight (8) inches. Plantings shall be maintained so as not to present hazards to adjoining properties or to persons or vehicles traveling on public ways and shall be maintained so as to enhance the appearance and value of the property on which located and thereby the appearance and value of the neighborhood and the Village of Elk Mound.

Building Permits

If you are planning a building or project this summer, please contact the Village Hall—or to view a full listing of items requiring a permit see our website www.elkmound.org code of ordinances 15-1-2.

Warning Siren

The Warning Siren will be tested the first Monday of the month at 10:00 a.m., dates are as follows:

- June 3, 2024
- July 1, 2024
- August 5, 2024

2023 Consumer Confidence Report Data ELK MOUND WATERWORKS, PWS ID: 61702641

Este informe contiene información importante acerca de su agua potable. Haga que alguien lo traduzca para usted, o hable con alguien que lo entienda.

Dlaim ntawv tshaabzu nuav muaj lug tseemceeb heev nyob rua huv kws has txug cov dlej mej haus. Kuas ib tug paab txhais rua koj, los nrug ib tug kws paub lug thaam.

Water System Information

If you would like to know more about the information contained in this report, please contact Mark D Levra at (715) 556-4566.

Opportunity for input on decisions affecting your water quality

Board meetings are held the third Monday of each month at 6:00 p.m. at the Elk Mound Village Hall, E206 Menomonie Street, Elk Mound, WI 54739.

Health Information

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's safe drinking water hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune systems disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Environmental Protection Agency's safe drinking water hotline (800-426-4791).

Source(s) of Water

Source ID	Source	Depth (in feet)	Status
1	Groundwater	280	Active
2	Groundwater	352	Active

To obtain a summary of the source water assessment please contact Mark D Levra at (715) 556-4566.

Educational Information

The sources of drinking water, both tap water and bottled water, include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally- occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture,
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water, which shall provide the same protection for public health.

Definitions



Term	Definition
AL	Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
HA and HAL	HA: Health Advisory. An estimate of acceptable drinking water levels for a chemical substance based on health effects information. HAL: Health Advisory

Term	Definition
	Level is a concentration of a contaminant which, if exceeded, poses a health risk and may require a system to post a public notice. Health Advisories are determined by US EPA.
HI	HI: Hazard Index: A Hazard Index is used to assess the potential health impacts associated with mixtures of contaminants. Hazard Index guidance for a class of contaminants or mixture of contaminants may be determined by the US EPA or Wisconsin Department of Health Services. If a Health Index is exceeded a system may be required to post a public notice.
Level 1 Assessment	A Level 1 assessment is a study of the water system to identify potential problems and determine, if possible, why total coliform bacteria have been found in our water system.
Level 2 Assessment	A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine, if possible, why an E. coli MCL violation has occurred or why total coliform bacteria have been found in our water system, or both, on multiple occasions.
MCL	Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
MCLG	Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
MFL	million fibers per liter
MRDL	Maximum residual disinfectant level: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MRDLG	Maximum residual disinfectant level goal: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
mrem/year	millirems per year (a measure of radiation absorbed by the body)
NTU	Nephelometric Turbidity Units
pCi/l	picocuries per liter (a measure of radioactivity)
ppm	parts per million, or milligrams per liter (mg/l)
ppb	parts per billion, or micrograms per liter (ug/l)
ppt	parts per trillion, or nanograms per liter
ppq	parts per quadrillion, or picograms per liter
PHGS	PHGS: Public Health Groundwater Standards are found in NR 140 Groundwater Quality. The concentration of a contaminant which, if exceeded, poses a health risk and may require a system to post a public notice.
RPHGS	RPHGS: Recommended Public Health Groundwater Standards: Groundwater standards proposed by the Wisconsin Department of Health Services. The

Term	Definition
	concentration of a contaminant which, if exceeded, poses a health risk and may require a system to post a public notice.
SMCL	Secondary drinking water standards or Secondary Maximum Contaminant Levels for contaminants that affect taste, odor, or appearance of the drinking water. The SMCLs do not represent health standards.
TCR	Total Coliform Rule
TT	Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.

Detected Contaminants

Your water was tested for many contaminants last year. We are allowed to monitor for some contaminants less frequently than once a year. The following tables list only those contaminants which were detected in your water. If a contaminant was detected last year, it will appear in the following tables without a sample date. If the contaminant was not monitored last year, but was detected within the last 5 years, it will appear in the tables below along with the sample date.

Disinfection Byproducts

Contaminant (units)	Site	MCL	MCLG	Level Found	Range	Sample Date (if prior to 2023)	Violation	Typical Source of Contaminant
HAA5 (ppb)	DBP1	60	60	0	0		No	By-product of drinking water chlorination
TTHM (ppb)	DBP1	80	0	1.4	1.4		No	By-product of drinking water chlorination

Inorganic Contaminants

Contaminant (units)	Site	MCL	MCLG	Level Found	Range	Sample Date (if prior to 2023)	Violation	Typical Source of Contaminant
ARSENIC (ppb)		10	n/a	1	0 - 1		No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and

Contaminant (units)	Site	MCL	MCLG	Level Found	Range	Sample Date (if prior to 2023)	Violation	Typical Source of Contaminant
								electronics production wastes
BARIUM (ppm)		2	2	0.001	0.001 - 0.001		No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
FLUORIDE (ppm)		4	4	0.9	0.9 - 0.9		No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
NICKEL (ppb)		100		1.8000	1.6000 - 1.8000		No	Nickel occurs naturally in soils, ground water and surface waters and is often used in electroplating, stainless steel and alloy products.
SODIUM (ppm)		n/a	n/a	15.00	12.00 - 15.00		No	n/a

Contaminant (units)	Action Level	MCLG	90th Percentile Level Found	# of Results	Sample Date (if prior to 2023)	Violation	Typical Source of Contaminant
COPPER (ppm)	AL=1.3	1.3	0.0370	0 of 10 results were above the action level.		No	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives
LEAD (ppb)	AL=15	0	0.91	0 of 10 results		No	Corrosion of household

Contaminant (units)	Action Level	MCLG	90th Percentile Level Found	# of Results	Sample Date (if prior to 2023)	Violation	Typical Source of Contaminant
				were above the action level.			plumbing systems; Erosion of natural deposits

Radioactive Contaminants

Contaminant (units)	Site	MCL	MCLG	Level Found	Range	Sample Date (if prior to 2023)	Violation	Typical Source of Contaminant
GROSS ALPHA, EXCL. R & U (pCi/l)		15	0	2.5	1.6 - 2.5	7/7/2020	No	Erosion of natural deposits
RADIUM, (226 + 228) (pCi/l)		5	0	1.5	0.8 - 1.5	7/7/2020	No	Erosion of natural deposits

Contaminants with a Public Health Groundwater Standard, Health Advisory Level, or a Secondary Maximum Contaminant Level

The following table lists contaminants which were detected in your water and that have either a Public Health Groundwater Standard (PHGS), Health Advisory Level (HAL), or a Secondary Maximum Contaminant Level (SMCL), or both. There are no violations for detections of contaminants that exceed Health Advisory Levels, Public Health Groundwater Standards or Secondary Maximum Contaminant Levels. Secondary Maximum Contaminant Levels are levels that do not present health concerns but may pose aesthetic problems such as objectionable taste, odor, or color. Public Health Groundwater Standards and Health Advisory Levels are levels at which concentrations of the contaminant present a health risk.

Contaminant (units)	Site	SMCL (ppm)	PHGS or HAL (ppm)	Level Found	Range	Sample Date (if prior to 2023)	Typical Source of Contaminant
CHLORIDE (ppm)		250		3.00	3.00	5/14/2020	Runoff/leaching from natural deposits, road salt, water softeners

Contaminant (units)	Site	SMCL (ppm)	PHGS or HAL (ppm)	Level Found	Range	Sample Date (if prior to 2023)	Typical Source of Contaminant
IRON (ppm)		0.3		0.18	0.18	5/14/2020	Runoff/leaching from natural deposits, industrial wastes
MANGANESE (ppm)		0.05	0.3	0.07	0.07	5/14/2020	Leaching from natural deposits
SULFATE (ppm)		250		20.00	20.00	5/14/2020	Runoff/leaching from natural deposits, industrial wastes

Health effects for any contaminants with MCL violations/Action Level Exceedances/SMCL exceedances/PHGS or HAL exceedances

Contaminant	Health Effects
MANGANESE	Waters containing manganese in quantities above the SMCL are not hazardous to health but may be objectionable for taste, odor, or color.

Additional Health Information

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Elk Mound Waterworks is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.

June 2024

SUN	MON	TUE	WED	TH	FRI	SAT
Village Office Hours 8:00 a.m.—4:30 p.m. Monday—Thursday						1 THRIFT SALES 8AM-3PM Solid Waste Hours 8am to 3pm
2	3 Library Open 2pm-6pm	4 Pop Up Pantry 11:30-12:30 Food Pantry 4-6pm	5 Solid Waste Site Hours 1pm—5pm Library Open 9am-1pm	6	7 Food Pantry 10-noon Village Office Closed Library Open 2-6pm	8 Solid Waste Site Hours 8am to 3pm
9	10 Library Open 2pm-6pm	11 Food Pantry 4-6pm	12 Solid Waste Site Hours 1pm—5pm Library Open 9am-1pm	13	14 Food Pantry 10-noon Village Office Closed Library Open 2-6pm	15 Solid Waste Site Hours 8am to 3pm
16	17 Village Board Meeting 6pm Library Open 2pm-6pm	18 Food Pantry 4-6pm	19 Solid Waste Site Hours 1pm—5pm Library Open 9am-1pm Fire Board 7pm	20	21 Food Pantry 10-noon Village Office Closed Library Open 2-6pm	22 Solid Waste Site Hours 8am to 3pm
23 / 30	24 Library Open 2pm-6pm	25 Food Pantry 4-6pm	26 Solid Waste Site Hours 1pm—5pm Library Open 9am-1pm	27	28 Food Pantry 10-noon Village Office Closed Library Open 2-6pm	29 Solid Waste Site Hours 8am to 3pm

July 2024

SUN	MON	TUE	WED	TH	FRI	SAT
	1 Library Open 2pm-6pm	2 Pop Up Pantry 11:30-12:30 Food Pantry 4-6pm	3 Solid Waste Site Hours 1pm—5pm Library Open 9am-	4 HOLIDAY Village Office Closed	5 Food Pantry 10-noon Village Office Closed Library Open 2-6pm	6 Solid Waste Hours 8am to 3pm
7	8 Library Open 2pm-6pm	9 Food Pantry 4-6pm	10 Solid Waste Site Hours 1pm—5pm Library Open 9am-	11	12 Food Pantry 10-noon Village Office Closed Library Open 2-6pm	13 Solid Waste Site Hours 8am to 3pm
14	15 Library Open 2pm-6pm	16 Food Pantry 4-6pm	17 Solid Waste Site Hours 1pm—5pm Library Open 9am-1pm	18	19 Food Pantry 10-noon Village Office Closed Library Open 2-6pm	20 Solid Waste Site Hours 8am to 3pm
21	22 Village Board Meeting 6pm Library Open 2pm-6pm	23 Food Pantry 4-6pm	24 Solid Waste Site Hours 1pm—5pm Library Open 9am-1pm	25	26 Food Pantry 10-noon Village Office Closed Library Open 2-6pm	27 Solid Waste Site Hours 8am to 3pm
28	29 Library Open 2pm-6pm	30 Food Pantry 4-6pm	31 Solid Waste Site Hours 1pm—5pm Library Open 9am-1pm			

COMMUNITY FOOD PANTRY

Community Food Pantry is located at Shepherd of the Hill Lutheran Church, 207 University Street (Entrance from the Parking Lot).
 Call 715-879-5115 with any questions.

E-mail: info@elkound.org
 Website: www.elkound.org

Phone: 715-879-5011
 Fax: 715-879-5851

PO Box 188
 Elk Mound, WI 54739